




# WEEKLY HEALTH REPORT

## CURRENT MORBIDITY DATA FOR THE ARMY IN THE CONTINENTAL UNITED STATES

WEEK ENDED 10 MAY 1946




ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED  
PER 1000 STRENGTH

DISEASE



INJURY





THIS DOCUMENT CONTAINS INFORMATION  
AFFECTING THE NATIONAL DEFENSE OF THE  
UNITED STATES WITHIN THE MEANING OF THE  
ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS  
AMENDED. ITS TRANSMISSION OR THE REVELA-  
TION OF ITS CONTENTS IN ANY MANNER TO AN  
UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

# WEEKLY HEALTH REPORT

## CONTENTS

DATA FOR WEEK ENDED 10 MAY 1946

	PAGE
NATURE OF THE DATA . . . . .	2
COMMENT ON CURRENT TRENDS . . . . .	5
SUMMARY FOR TOTAL UNITED STATES AND SERVICE COMMANDS . . . . .	11
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER . . . . .	14
STATIONS WITH HIGHEST MORBIDITY RATES . . . . .	19
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST . . . . .	20



# WEEKLY HEALTH REPORT

## NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (1).

### MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The proportion of the average daily strength of the command which is confined to hospital or quarters (including patients evacuated from overseas) is given in the "Year-to-date" section of the summary table. The mean number of noneffectives per thousand strength shown in the weekly section of the summary table includes only patients admitted to hospital or quarters from activities in the Continental United States; these figures, therefore, are noneffective rates for troops stationed in the United States.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casualties, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

### MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

### STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.

### EXPLANATORY MATTER

In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.


Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (X) is placed after the name of the station.



# MORBIDITY FROM — ALL CAUSES

## — INJURY ONLY

CONTINENTAL UNITED STATES



RESTRICTED

OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH




# MORBIDITY FROM DISEASE

RESTRICTED

COLDS INFLUENZA ETC.

CONTINENTAL UNITED STATES



RESTRICTED



## COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes: (See Page 3.)

Morbidity from all causes during the week ended 10 May decreased, being reported at 565 admissions per 1000 troops per annum, as compared with 604 such admissions during the preceding week.

Injury: (See Page 3.)

Injury admissions decreased to 36 per 1000 troops per annum; highest rate was that reported from the Eighth Service Command (43 per 1000), ranging down to 25 per 1000 in the Military District of Washington.

Diseases: (See opposite page.)

Morbidity from all diseases in the United States as a whole during the week decreased from 563 to 529 admissions per 1000 troops per annum. The Second Service Command continued to show a comparatively high rate due chiefly to the high number of venereal disease admissions reported from Camp Kilmer, New Jersey.

Respiratory Diseases:

(See opposite page and Pages 6 and 7.)

The rate for colds, influenza, etc. decreased during the week from 103 per 1000 to 100 per 1000. Substantial increases are noted in the Third and Eighth Service Commands. Morbidity from these causes was highest in the Third Service Command.

Admissions for all forms of pneumonia decreased from 16 to 13 per 1000 troops per annum, decreases occurring in all service commands except the Fourth. Highest morbidity (26 admissions per 1000 troops per annum) was reported from the Fourth Service Command; rates ranged downward to 4 per 1000 (only 2 cases) in the First Service Command. The rate for pneumonias other than primary atypical decreased during the week from 4.9 to 4.2 per 1000 troops per annum. In the

corresponding periods of last year, this rate was 3.0 and 3.6 per 1000, while it moved from 4.6 to 4.3 in these weeks of 1944.

Venereal Diseases:

Admissions for "new not-EPTS" venereal diseases decreased slightly during the week, from 85 to 82 per 1000 troops per annum.

Other Communicable Diseases:

The rate for scarlet fever dropped to 6.9 admissions per 1000 troops per annum during the current week, as compared with the previous week's rate of 9.6.

The rate for rheumatic fever was reported at 3.5 admissions per 1000 troops per annum during the current week, as compared with the previous week's rate of 3.4.

Admissions for streptococcal sore throat increased during the week from 3.8 to 4.0 per 1000 troops per annum.

MORBIDITY AT TRAINING CENTERS: (See Page 13.)


It has long been recognized that most respiratory diseases, common contagious diseases, and streptococcal infections present a more serious problem among men coming into the Army than among troops with comparatively long service. The table on Page 13 furnishes a rough measure of this difference, since it shows morbidity at stations at which training centers for recruits are located. Separate totals for all stations having training centers and for stations at which no training centers are located are presented; in addition, totals are shown separately for training centers of the Air Forces, Ground Forces, and Service Forces.




# MORBIDITY FROM SELECTED CAUSES — U.S. AND THE SERVICE COMMANDS

ADMISSIONS PER 1000 TROOPS PER YEAR — WEEK ENDED 10 MAY 1946


## ALL CAUSES






## CURRENT WEEK DISEASE



## COLDS, INFLUENZA, ETC. \*



## CURRENT YEAR TO DATE




\* Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis and Influenza.




# MORBIDITY FROM SELECTED CAUSES — U.S. AND THE SERVICE COMMANDS

ADMISSIONS PER 1000 TROOPS PER YEAR — WEEK ENDED 10 MAY 1946


## VENEREAL DISEASE \*






## CURRENT WEEK SCARLET FEVER



## RHEUMATIC FEVER



## CURRENT YEAR TO DATE



\* "NEW" NOT-EPTS



## COMMENT ON CURRENT TRENDS (CONT.)

It should be noted that a distinction cannot be made, on the basis of the Statistical Health Report, between those troops at a given station who are undergoing basic training and those who are engaged in other activities. Data must be shown for all troops at stations at which training centers are located; these data, therefore, cannot be said to measure morbidity among trainees alone.

The admission rate for diseases at stations having training centers exceeded that at other stations by about 15 per cent; this rate decreased during the week by about 10 per cent at stations having training centers, and by 5 per cent at other stations.

Morbidity from colds, influenza, etc., at stations having training centers, while 95 per cent higher than that at other stations, increased by about 3 per cent during the week. Rates at ASFTC's fell below those at Ground Force and Air Force Centers.

Admissions for pneumonia at training center stations as a whole decreased from 31 to 25 per 1000 troops per annum, but contrasted sharply with the rate of 7 at other stations.

Morbidity from scarlet fever at stations having training centers decreased from 22 to 15 admissions per 1000 troops per annum. The rate for rheumatic fever at these stations remained unchanged during the week, being reported at 6 admissions per 1000 troops per annum.

The venereal disease admission rate at training center stations as a whole continued lower than that for other stations. (High venereal disease rates at ASFTC's are accounted for in large measure by the larger ratio of colored to white troops at these stations than at others.)

NONEFFECTIVE RATE: (See Page 9.)

The noneffective rate for personnel stationed in the continental United States is estimated at 40.5 per 1000 troops for the week ended 10 May as compared with 33.0 per 1000 for the corresponding week of 1945.

PATIENTS REMAINING UNDER TREATMENT: (See Page 9.)

The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, decreased during the week to 84,565, as compared with 87,624 at the end of the previous week.

The number of neuropsychiatric cases remaining was 5642 or about 150 less than at the end of the previous week. Nonbattle injury patients remaining numbered about 16,000. Battle wounded remaining decreased by about 800 to number 18,991.


CERTIFICATES OF DISABILITY FOR DISCHARGE: (See Page 10.)

In the week ended 10 May there were 1764 enlisted personnel discharged by CDD (about 90 less than in the previous week). These discharges included 78 accomplished at Air Force medical activities. Among them were 410 neuropsychiatric cases.




# NONEFFECTIVE RATE

CONTINENTAL UNITED STATES



# PATIENTS REMAINING IN HOSPITAL


CONTINENTAL UNITED STATES





# CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES





# WEEKLY HEALTH REPORT

## SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

RESTRICTED

SERVICE COMMAND	MEAN STRENGTH	A D M I S S I O N S															MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH	
		ANNUAL RATE PER 1000 STRENGTH							ANNUAL CASE RATE PER 1000 STRENGTH									
		ALL CAUSES		DISEASE		INJURY			COLDS, INFLU- ENZA, ETC. *		PNEUMONIA (INCL. ATYPICAL)		SCARLET FEVER		VENEREAL (EXCL. EPTI)			
C U R R E N T W E E K C O M P A R E D W I T H P R E V I O U S W E E K																		
	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week
TOTAL UNITED STATES	1207924	1195731	565	604	529	563	36	41	100	103	13	16	7	10	82	85	40	42
FIRST SERVICE COMMAND	28423	31241	489	534	454	504	35	30	75	82	47	77	77	37	44	43	48	46
SECOND SERVICE COMMAND	138325	110484	663	805	623	769	40	36	92	99	9	9	5	7	105	139	40	50
THIRD SERVICE COMMAND	123778	127078	679	770	650	734	29	36	153	138	13	22	14	20	116	97	41	41
MIL. DIST. OF WASHINGTON	45671	45348	565	566	540	545	25	21	137	147	10	16	22	10	46	60	47	45
FOURTH SERVICE COMMAND	205164	217665	518	544	485	503	33	41	58	54	26	23	2	3	119	134	44	42
FIFTH SERVICE COMMAND	92652	94264	537	529	498	583	39	46	88	137	13	14	10	25	54	49	40	41
SIXTH SERVICE COMMAND	77802	81382	429	495	402	447	27	48	87	116	11	21	7	4	35	47	33	33
SEVENTH SERVICE COMMAND	81089	85455	508	557	480	518	28	39	124	131	6	27	15	18	61	56	44	44
EIGHTH SERVICE COMMAND	224365	218954	593	586	550	534	43	52	125	107	11	13	4	5	61	49	37	39
NINTH SERVICE COMMAND	190655	183960	545	543	504	505	41	38	85	88	6	7	5	8	83	90	41	43
C U R R E N T Y E A R T O D A T E C O M P A R E D W I T H C O R R E S P O N D I N G P E R I O D P R E V I O U S Y E A R																		
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year*	Previous Year*
TOTAL UNITED STATES	1574859	2876803	626	634	594	584	32	50	162	158	16	13	8	2	75	43	80	81
FIRST SERVICE COMMAND	51354	79550	541	675	513	628	28	47	131	153	9	7	5	1	36	52	139	128
SECOND SERVICE COMMAND	149537	180447	659	689	633	645	26	43	134	157	11	10	3	2	69	49	100	110
THIRD SERVICE COMMAND	159625	185628	786	676	758	636	28	40	250	169	20	12	17	2	105	61	65	94
MIL. DIST. OF WASHINGTON	47792	51354	751	627	725	588	26	39	282	174	27	8	25	1	43	21	77	71
FOURTH SERVICE COMMAND	312217	702489	561	619	528	561	33	58	113	134	21	14	6	1	114	47	67	71
FIFTH SERVICE COMMAND	115692	137693	581	655	551	611	30	44	118	198	12	15	9	2	63	49	102	171
SIXTH SERVICE COMMAND	96632	103907	549	662	520	627	29	35	118	180	17	19	6	7	52	49	119	131
SEVENTH SERVICE COMMAND	126094	266508	713	589	687	549	26	40	240	147	19	10	19	4	58	41	82	82
EIGHTH SERVICE COMMAND	261206	698523	628	636	591	580	37	56	197	183	17	16	7	2	63	37	66	57
NINTH SERVICE COMMAND	254710	470704	582	625	544	573	38	52	131	147	10	8	4	2	63	38	68	73



# WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 19  
WEEK ENDING 10 May 194 6

## SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

SERVICE COMMAND	MEAN STRENGTH*	A D M I S S I O N S NUMBER OF CASES												NUMBER OF DEATHS				NUMBER OF DISPOSITIONS BY CDD
		MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL CAUSES	DISEASE	INJURY	BATTLE CASUALTY	
									IN USA	OUT OF USA								
C U R R E N T W E E K																		
TOTAL UNITED STATES	1207924	158	189	161	8	81	199	92	6	231	94	94	129	37	16	18	3	1764
FIRST SERVICE COMMAND	28423	2	4	4				3		4	3	1	7	2	1		1	90
SECOND SERVICE COMMAND	138325	13	8	12	2	11	18	55	4	18	15	34	15	5	1	4		256
THIRD SERVICE COMMAND	123778	25	24	33		10	31	6		24	8	5	29	2	1	1		84
MIL. DIST. OF WASHINGTON	45671	11	4	19		13	9	1		9	4		3					31
FOURTH SERVICE COMMAND	205164	12	23	7	1	9	94	7		31	8		13	6	3	3		315
FIFTH SERVICE COMMAND	92652	7	13	18	1	7	6			24	8	4	12	2		1	1	228
SIXTH SERVICE COMMAND	77802	4	8	11		1	8	7		14	3	1	3	3	3			152
SEVENTH SERVICE COMMAND	81089	22	12	23	1	15	6	2		16	7	38	11	4	2	1	1	167
EIGHTH SERVICE COMMAND	224365	37	50	16	2	13	19	9		50	30	11	16	11	4	7		209
NINTH SERVICE COMMAND	190656	25	43	18	1	2	9	2	2	41	8		20	2	1	1		232
P R E V I O U S W E E K																		
TOTAL UNITED STATES	1195731	154	260	220	10	79	259	81	5	234	83	87	155	48	28	19	1	1855
FIRST SERVICE COMMAND	31241	1	2	2			4	1	1	2	1	1	4	1		1		91
SECOND SERVICE COMMAND	110484	7	7	14	2	7	15	9		12	6	6	33	4	2	2		250
THIRD SERVICE COMMAND	127078	24	28	50	3	18	47	5		17	17	11	47	4	1	2		100
MIL. DIST. OF WASHINGTON	45348	4	13	9		2	10	2	1	8	1	1		7	7			62
FOURTH SERVICE COMMAND	217665	14	25	11		11	87	13		34	9	2	17	5	2	3		330
FIFTH SERVICE COMMAND	94264	2	11	46			12	2		23	3	3	3	2	1	1		243
SIXTH SERVICE COMMAND	81382	8	12	7		3	14	7		9	4	1	8	4	3	1		160
SEVENTH SERVICE COMMAND	85455	11	16	29	2	19	28	1		20	10	21	8	5	5			149
EIGHTH SERVICE COMMAND	218854	47	64	23	3	11	30	13		76	28	36	22	7	4	3		243
NINTH SERVICE COMMAND	183960	36	78	29		8	12	8	3	33	4	5	13	9	3	6		227



VOLUME VI REPORT NO. 19  
WEEK ENDING 10 May 1946

# WEEKLY HEALTH REPORT

## SUMMARY OF TRAINING CENTERS

RESTRICTED

	MEAN STRENGTH**	ADMISSIONS PER 1000 TROOPS PER ANNUM													
		ALL CAUSES	DISEASE	INJURY	COLDS INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'GOCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS
TOTAL UNITED STATES	1207924	565	529	36	100	13	3	82	7	8	7	0	4	9	4
Stations without Training Centers	835826	544	506	38	77	7	3	84	5	6	3	0	2	4	5
Stations having Training Centers	372098	613	582	31	153	25	3	76	12	13	15	1?	6	18	1
Stations having ASFTC's 1/	215373	637	614	23	151	12	0?	91	15	14	20	0?	7	9	1?
Stations having AAFBTC's 2/	40968	536	509	27	159	71	0	42	17	13	4?	1?	3?	42	0
Stations having AGFRTC's 3/	115757	595	547	48	155	35	9	62	5	10	11	1?	4	27	1?
		1/ ARMY SERVICE FORCES TRAINING CENTERS.													
		2/ ARMY AIR FORCES BASIC TRAINING CENTERS.													
		3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTERS.													

FORM SG-945 11 DEC. 1944

\*\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S															NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTs)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS					
FIRST SERVICE COMMAND	28423	489	454	35	75	4?	2?	44	2	4	4				3	2	1		90	
Devens, Ft., Mass. 4/	10007	489	484	5?	52			10?	2		3									
Westover Field, Mass.	5417	422	355	67	77			125		3										
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	12999	516	472	44	92	8?	4?	36		1	1				3	2	1		90	
SECOND SERVICE COMMAND	138325	663	623	40	92	9	5	105	13	8	12	2	11	18	55	5	1	4	256	
Dix, Ft., N.J. 4/	41408	586	573	13	62	6?	1?	35	1		1		3	5	5				2	
Kilmer, Cp., N.J.	43382	719	688	31	66	5?		229	6	4				3	6	1		1	1	
Mitchel Field, N.Y. (RH)	5115	478	356	122	51?			51?		1			1		2	2		2	1	
Monmouth, Ft., N.J.	8783	799	746	53	184	12?	18?	36	3	2	3			2					1	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	39637	676	610	66	139	18	12	66	3	1	8	2	7	8	42	2	1	1	251	
THIRD SERVICE COMMAND	123778	679	650	29	153	18	3	116	25	24	33		10	31	6	2	1	1	84	
Aberdeen Prov. Grd., Md. 1/	24995	762	747	15	362	21		56	10	5	12		1	10	1	1		1	4	
Eustis, Ft., Va. 1/	14698	1171	1136	35	241	11?	4?	297	4	8	3		1	3	3					
Geo. G. Meade, Ft., Md. 4/ (RH)	22511	504	499	5?	35	18	7?	116	1	3			2	5	1	1	1		13	
Lee, Cp., Va. (RH) 1/	35751	577	573	4?	95	26		122	8	7	17		6	12					10	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	25823	611	518	93	85	6?	4?	62	2	1	1			1	1				57	

RESTRICTED



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY: CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
MILITARY DISTRICT OF WASH.	45671	565	540	25	137	10	1?	46	11	4	19		13	8	1				31
Pelvoir, Ft., Va. (RH) 1/	18649	600	580	20	173	25		70	8	4	18		10	8					1
Washington, Gen. Disp., D.C.	7366	374	360	14?	155		7?	7?											
Myer, Ft., Va.	5057	679	597	82	93			41?			1		2						
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	14599	577	559	18?	96			36	3				1		1				30
FOURTH SERVICE COMMAND	205164	518	485	33	58	26	5	119	12	23	7	1	9	94	7	6	3	3	315
Benning, Ft., Ga. (RH)	20649	690	665	25	30	15	3?	199	1	1			1	4	1				4
Bragg, Ft., N.C. (RH) 3/ 4/	31354	453	425	28	46	8?	3?	83	3	3	1	1		5					13
Greensboro AAFORD, N.C.	11762	601	579	22?	62	18?		177	1	3	1		1	2	1				2
Jackson, Ft., S.C.	12366	597	551	46			8?	290								1	1		1
Keesler Field, Miss. (RH) 2/	21315	410	376	34	146	85		32	3	3			2	33					14
McClellan, Ft., Ala. (RH) 3/	27024	596	529	67	94	85	15	67		8	5		3	43	2	1	1		20
McPherson, Ft., Ga. 4/	10566	517	497	20?	15?	10?	5?	143		1			1	2					1
Shelby, Cp., Miss.	7515	748	727	21?	76	14?	7?	284	1	1				2					
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	62613	441	414	27	42	4?	3?	94	3	3			1	3	3	4	1	3	260

FORM SG-945 11 DEC. 1944

RESTRICTED

\* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

\*\* SEE NATURE OF THE DATA, PAGE 2.

- 1/ ARMY SERVICE FORCES TRAINING CENTER.
- 2/ ARMY AIR FORCES BASIC TRAINING CENTER.
- 3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.
- 4/ PERSONNEL CENTER

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S													NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD	
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE		INJURY
FIFTH SERVICE COMMAND	92652	537	498	39	88	13	3?	54	7	13	18	1	7	6		2		1	228
Atterbury, Cp., Ind. 4/	20828	536	529	7?	35	2?		37		1									
Campbell, Cp., Ky.	17408	418	394	24				69											1
Dayton, Ohio AAF Tech.Base (RH)	8961	360	331	29?	41	6?		58	5				1						2
Knox, Ft., Ky. (RH) 3/	26026	673	607	66	218	42	10?	48	1	9	16	1	4	5		1	1		3
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	19429	541	487	54	72	3?		64	1	4	2		2	1		1			222
SIXTH SERVICE COMMAND	77802	429	402	27	87	11	1?	35	4	8	11		1	8	7	3	3		152
Chanute Field, Ill. (RH)	10506	421	401	20?	134	20?		20?		3	6			4	1				3
McCoy, Cp., Wis.	6903	452	422	30?				15?		1					1				6
Scott Field, Ill. (RH)	18235	533	496	37	197	14?		34	3	2	4			1	1				2
Sheridan, Ft., Ill. (RH) 4/	21446	313	301	12?	29	7?	2?	39		1	1								3
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	20712	455	417	38	55	10?		48	1	1			1	3	4	3	3		138

FORM SG-945 11 DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.  
4/ PERSONNEL CENTER.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD.
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIAHRREA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
SEVENTH SERVICE COMMAND	81089	508	480	28	124	6	2?	61	22	12	23	1	15	6	2	4	2	1	167
Buckley Field, Colo. (RH)	7511	1179	1143	35?	479	35?		14?	6	2	7		9	2					1
Crowder, Cp., Mo. (RH) 1/	13661	396	377	19?	156			49	7	5	16	1	3						20
Jefferson Bks., Mo. 4/	5821	366	366		18?		9?	27?	1										
Leavenworth, Ft., Kans. 4/	11093	549	530	19?	23?	5?		103	2					1					1
Lowry Field, Colo.	6487	144	136	8?	128		8?	3?					1						
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	36516	486	446	40	87	4?	1?	77	6	5			2	3	2	4	2	1	145
EIGHTH SERVICE COMMAND	224365	593	550	43	125	11	4	61	37	50	16	2	13	19	9	11	4	7	209
Amarillo AAF, Tex. (RH)	9916	928	902	26?	498	10?		31	2	1	6		3	1					5
Bliss, Ft., Tex. 3/ 4/	15557	749	732	17?	274	3?	20	70	2	4				1	1				
Chaffee, Cp., Ark. 4/	8172	446	401	45	32?	6?		57	1	1				1		1	1		4
Hood, Cp., Tex.	14917	565	537	28	35	3?		77	1	8				1	2				
(RH) 3/ Jos. T. Robinson, Cp., Ark.	15293	599	541	58	262	20		24	5		2		3	6		1		1	2
Polk, Cp., La. 1/	23253	781	725	56	112			29	7	10						1	1		3
Sam Houston, Ft., Tex. 1/ 4/	28211	426	406	20	57	2?	2?	79	4	3			1		1				
San Antonio AAF, Tex. (CH) (RH)	23997	605	590	15	154	17	13	46	2	8	3	1		4		1	1		23
Sheppard Field, Tex. (RH) 2/	19653	673	654	19	172	56		53	10	7	3	1							11
Sill, Ft., Okla.	7257	388	366	22?	14?			43											1
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	58139	519	438	81	46	5	4?	85	3	8	2		6	5	5	7	1	6	160

FORM SG-945 11 DEC. 1944

RESTRICTED

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2

- 1/ ARMY SERVICE FORCES TRAINING CENTER.
- 2/ ARMY AIR FORCES BASIC TRAINING CENTER.
- 3/ ARMY GROUND FORCES REPLACEMENT CENTER.
- 4/ PERSONNEL CENTER.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



18



## WEEKLY HEALTH REPORT

## LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME VI REPORT NO. 19

WEEK ENDING 10 May 1946

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			SCARLET FEVER ANNUAL ADMISSION RATE PER 1000		
Buckley Field, Colo.	1178	1391	Buckley Field, Colo.	1143	1288	Crowder, Cp., Mo. 1/	61	39
Eustis, Ft., Va. 1/	1171	1029	Eustis, Ft., Va. 1/	1136	970	Belvoir, Ft., Va. 1/	50	25
Amarillo AAF, Texas	928	875	Amarillo AAF, Texas	902	815	Buckley Field, Colo.	48	63
Monmouth, Ft., N.J.	799	845	Aberdeen Prov. Grd., Md. 1/	747	937	Knox, Ft., Ky. 3/	32	83
Polk, Cp., La. 1/	731	937	Monmouth, Ft., N.J.	746	794	Amarillo AAF, Texas	31	46
Aberdeen Prov. Grd., Md. 1/	762	977	Bliss, Ft., Texas 3/ 4/	732	742	Chanute Field, Ill.	30	57
Bliss, Ft., Texas 3/ 4/	749	752	Shelby, Cp., Miss. 4/	727	887	Lee, Cp., Va. 1/	25	31
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			MEASLES ANNUAL ADMISSION RATE PER 1000		
Amarillo AAF, Texas	498	364	Keesler Field, Miss. 2/	85 (81)	44 (44)	Buckley Field, Colo.	42	47
Buckley Field, Colo.	473	442	McClellan, Ft., Ala. 3/	85 (83)	106 (97)	Crowder, Cp., Mo. 1/	27	0
Aberdeen Prov. Grd., Md. 1/	362	214	Sheppard Field, Texas 2/	56 (0)	29 (16)	Sheppard Field, Texas 2/	26	11?
Bliss, Ft., Texas 3/ 4/	274	217	Knox, Ft., Ky. 3/	42 (10?)	29 (4?)	Belvoir, Ft., Va. 1/	22	6?
Jos. T. Robinson, Cp., Ark. 3/	262	177	Lee, Cp., Va. 1/	26 (9)	32 (31)	Aberdeen Prov. Grd., Md. 1/	21	31
Eustis, Ft., Va. 1/	241	274	Belvoir, Ft., Va. 1/	25 (22)	34 (25)	Lewis, Ft., Wash. 1/ 4/	16	33
Knox, Ft., Ky. 3/	218	348	Aberdeen Prov. Grd., Md. 1/	21 (21)	(31) (31)	Polk, Cp., La. 1/	16	31
VENEREAL (EXCLUDING EPTI) ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000					
Eustis, Ft., Va. 1/	297	132	Mitchel Field, N.Y.	122	60			
Jackson, Ft., S.C.	290	281	Kyer, Ft., Va.	82	65			
Shelby, Cp., Miss. 4/	284	692	Westover Field, Mass.	67	71			
Kilmer, Cp., N.J.	229	830	McClellan, Ft., Ala. 3/	67	54			
Benning, Ft., Ga.	189	240	Knox, Ft., Ky. 3/	66	49			
Greensboro AAFORD, N.C.	177	115	Jos. T. Robinson, Cp., Ark. 3/	58	66			
Lawton, Ft., Wash.	170	165	Polk, Cp., La. 1/	56	77			

FORM SG-396E Rev. 24 April 1946

RESTRICTED

\*Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis and Acute Catarrhal Laryngitis.

\*\*Figures in parentheses are rates for atypical pneumonia only.

1/ ARMY SERVICE FORCES TRAINING CENTER. 3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER  
2/ ARMY AIR FORCES BASIC TRAINING CENTER. 4/ PERSONNEL CENTER.ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH

25-83664-50



# WEEKLY HEALTH REPORT

RESTRICTED

VOLUME 177 REPORT NO. 19  
WEEK ENDING 10 May 19 48

## LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

<p><u>POLIOMYELITIS (2)</u> 1-Halloran GH, N.Y. 1-Brooke GP, Texas</p>	<p><u>DIPHTHERIA (2)</u> 2-Kilmer, Cp., N.J.</p>	<p><u>SCABIES (27)</u> 27-Eustis, Ft., Va. TREATED AS OUT PATIENTS 350-Dix, Ft., N.J. 1-Hamilton, Ft., N.Y. 1200-Kilmer, Cp., N.J.</p>	<p><u>UNDULANT FEVER (1)</u> 1-Mitchel Field, N.Y.</p>	<p><u>AMEBIC DYSENTERY (11)</u> 1-Monmouth, Ft., N.J. 1-Rhoads, GH, N.Y. 1-Greensboro AAFORD, N.C. 1-MacDill Field, Fla. 1-Shelby, Cp., Miss. 1-Welch GH, Fla. 1-McCoy, Cp., Wis. 1-Jefferson Bks., Mo. 1-O'Reilly GH, Mo. 1-Sam Houston, Ft., Texas 1-Douglas, Ft., Utah</p>	<p><u>LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES</u></p> <p><u>STREPTOCOCCAL SORE THROAT</u> 29-Monmouth, Ft., N.J.</p> <p><u>GERMAN MEASLES</u> 11-Eustis, Ft., Va. 16-Lee, Cp., Va. 17-McClellan, Ft., Ala. 16-Knox, Ft., Ky. 14-Snelling, Ft., Minn. 15-Jos.T.Robinson,Cp., Ark. 20-Polk, Cp., La. 26-Lewis, Ft., Wash.</p>
<p><u>ENCEPHALITIS (2)</u> 1-Kilmer, Cp., N.J. 1-Eustis, Ft., Va.</p>	<p><u>TYPHUS FEVER (2)</u> 1-Keesler Field, Miss. 1-McClellan Field, Calif.</p>	<p><u>ROCKY MOUNTAIN SPOTTED FEVER (1)</u> 1-O'Reilly GH, Mo.</p>	<p><u>ANKYLOSTOMIASIS (2)</u> 2-Brooke, GH, Texas</p>	<p><u>COCCIDIOIDOMYCOSIS (1)</u> 1-Williams Field, Ariz.</p>	<p><u>M'COCCIC MENINGITIS AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH</u></p> <p>2-Halloran GH, N.Y. 1-Pasadena (RH), Calif.</p>
<p>STATIONS WHERE SULFONAMIDE PROPHYLAXIS OF RESPIRATORY DISEASE IS BEING EMPLOYED IN SOME OR ALL UNITS None</p>					

FORM 36-902-8 July 1944

RESTRICTED